

FYD-868 Plus X Specification

OS, CPU, RAM Features

Operating System	Android 8.1
Language	Support multi-languauge
Processor Type	RK PX30/Cortex-A35, Quad-Core 64 Bits/ Main Frequency up to 1.5GHz
	Mali-G31 GPU, Support OpenGL ES3.2, Vulkan 1.0, OpenCL 2.0
	Embedded High Performance 2D Graphics Acceleration Hardware
	Multiple Format 1080P 60fps Video Decoding (H.265,H.264,VC-1, MPEG-1/2/4, VP8)
RAM	1G (256Mx16x2) DDRIII Stable performance
Built-in NAND FLASH	16GB Expand Max 64G
Display Screen	TFT Display Module and Dual 8 Inch LCD Screen Support Display Different Contents
Screen Resolution	1200 * 800Pixels
Touch Panel	Capacitive Touch Screen (5-point Touch) Dual TP
External I / O Ports	1 MICRO USB 2.0 OTG support 3G, U Disk
	Expand Memory Card: TF card Support Max Size 128GB
Speaker	1* 8Ω/1W High Fidelity Speaker
Wireless Technology	802.11ac/b/g/n WLAN / BT4.0 / 2.4Ghz
GPS	Support multi - constellation GNSS receiver,GPS/GLONASS/BeiDou/Galileo/Qzss
NFC	Support ISO18000-3、Kovio tags、HID iClass tags
4G Internet Access	Support Full Network Communication, Support Max Downlink Rate of 100Mbps and Max Uplink Rate of 50Mbps
Camera	200W, Max 500W
Motion Sensor	Detect People Movement Screen Auto On
Video Format	AVI,MOV,MKV,WEBM,MP4, M4V,FLV,3GP,3G2, 3GPP,DAT,VOB,EVO,MPG,ASF,TP,TRP,TS,M2TS,MTS
Audio Format	MP3,OGG,APE,FLAC,WAV,AMR,MPC
Picture Format	JPG, JPEG, GIF, BMP, PNG

Advertising Player Specification

Background Push File Function	<ul style="list-style-type: none">◆ Pre-installed Our Ad APP◆ Remotely Upload Video / Picture by Ads Management Platform◆ Devices Auto Update Play Content by WiFi Connection and Amazon Cloud Server
Video Display	720P,1080P, 2K and 4K MP4 Format
Picture Display	JPG, JPEG,PNG
Screen Display	Support Full Screen and Two / Three Split-Screen Display

Power Bank Specification

Battery Capacity	8pcs Samsung 18650 Battery/2600MAH 2S4P Total 20800mAh
	Can Easily Take Out Battery to Recharge

Detachable Battery	Without Battery, Device also can connect to Power by Charger All the Time to work
Input	12/2A
Output	5V/4.2A (1*iPhone, Micro and Type C Cable and 1 *2A USB Ports)
Over Charged Protection Voltage	4.20V±0.025V
Over Discharge Protection	2.8±0.1
Over Current Protection	6.0±0.1
Short-cut Protection	Yes
Self - consumption Current	≤200uA
Color / Certification	
Certification	FCC CE ROHS
Color	Black / White / Wood Grain
Dimension	123*88*264MM
Net Weight	1.4kgs

INSHOP *Digital*

